

Appl. No. 10/811,042
 Amdt. dated August 8, 2006
 Reply to Office Action of February 8, 2006
 Attorney Docket 17540

RECEIVED
 CENTRAL FAX CENTER
 AUG 08 2006

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A hydraulic system for a work vehicle, comprising:
 - a first hydraulic pump configured to generate a flow of hydraulic fluid;
 - a priority valve in fluid communication with the pump, said priority valve being configured to distribute the flow to a primary outlet and to a secondary outlet;
 - a plurality of open center hydraulic valves coupled to the secondary outlet; and
 - a plurality of closed center hydraulic valves coupled to the primary outlet; and
 - a second hydraulic pump coupled to and driving the plurality of closed center hydraulic valves via a reloader valve, the reloader valve being responsive to some loads that control the priority valve and independent of other loads that control the priority valve.
2. (original) The system of claim 1, wherein the first hydraulic pump is a fixed displacement gear pump, and further wherein the priority valve is responsive to a load on the plurality of closed center valves.
3. (original) The system of claim 2, wherein the plurality of closed center valves includes at least one valve selected from the group comprising a boom swing cylinder control valve, a boom cylinder control valve, a dipper cylinder control valve, and a bucket cylinder control valve.
4. (original) The system of claim 3, wherein the plurality of open center valves include at least one valve selected from the group comprising a loader bucket cylinder valve and a loader arm cylinder valve.
5. (cancelled)
6. (original) The system of claim 1, wherein no inlet compensator is in fluid communication with and disposed between the plurality of closed center hydraulic valves and the first pump.

Appl. No. 10/811,042
Amdt. dated August 8, 2006
Reply to Office Action of February 8, 2006
Attorney Docket 17540

7. (original) The system of claim 1, further comprising a second fixed displacement hydraulic pump disposed to provide the plurality of closed center valves with hydraulic fluid.

8. (original) The system of claim 7, further comprising a reloader valve coupled to and between the second hydraulic pump and the plurality of closed center valves, the reloader valve being responsive to a load signal on a load signal line coupled to the plurality of closed center valves.

9. (currently amended) A hydraulic system for a work vehicle, comprising:

an engine;

a first hydraulic pump driven by the engine and configured to generate a flow of hydraulic fluid;

a priority valve in fluid communication with the pump, said priority valve being configured to distribute the flow to a primary outlet and to a secondary outlet;

a plurality of open center hydraulic valves coupled to one of the primary and secondary outlets;

a plurality of closed center hydraulic valves coupled to another of the primary and secondary outlets; and

a second hydraulic pump driven by the engine and configured to provide hydraulic fluid to the plurality of closed center valves, wherein the second hydraulic pump is coupled to and drives the plurality of closed center hydraulic valves in conjunction with the first pump in at least one mode of operation, further wherein the coupling between the second hydraulic pump and the plurality of closed center valves includes a reloader valve configured to be responsive to at least one load that controls the priority valve.

10. (original) The system of claim 9, wherein the first and second hydraulic pumps are fixed displacement gear pumps.

11. (original) The system of claim 10, wherein the plurality of closed center valves include at least one valve selected from the group comprising a boom swing actuator control valve, a

Appl. No. 10/811,042

Amdt. dated August 8, 2006

Reply to Office Action of February 8, 2006

Attorney Docket 17540

boom actuator control valve, a dipper actuator control valve, and a bucket actuator control valve.

12. (original) The system of claim 11, wherein the plurality of open center valves include at least one valve selected from the group comprising a loader bucket actuator valve and a loader arm actuator valve.

13-14. (cancelled)

15. (currently amended) The system of claim 9 ~~13~~, wherein the second hydraulic pump is configured to be independent of at least one load that controls the priority valve.

16. (currently amended) The system of claim 9 ~~13~~, wherein no inlet compensator is in fluid communication with and disposed between the plurality of closed center hydraulic valves and the first pump.

17. (cancelled)